

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6502189".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:30
L2	226	@ad<"20000720" and ((increment\$3 or increas\$4) adj10 count\$3) same buffer same empty	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:37
L3	145	@ad<"20000720" and ((increment\$3 or increas\$4) adj10 count\$3) same buffer near10 empty	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:38
L4	3908	@ad<"20000720" and ((increment\$3 or increas\$4) adj10 count\$3) same buffer near10loaded	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:38
L5	235	@ad<"20000720" and ((increment\$3 or increas\$4) adj10 count\$3) same buffer near10 loaded	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:38
L6	235	@ad<"20000720" and ((increment\$3 or increas\$4) adj10 count\$3) same (buffer near10 loaded)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:39
L7	122	@ad<"20000720" and ((increment\$3 or increas\$4) adj10 count\$3) same (buffer adj10 loaded)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:39
S1	5	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route and credit	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 14:35
S2	22	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:05
S3	29	(buffer same (receiver or client)) and ((increase or decrease) same counter) and acknowledge and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
S4	5	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route and credit	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
S5	22	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:16
S6	32	(buffer same (receiver or client)) and ((increase or decrease) same counter) and acknowledge and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:04
S7	2	"6775742".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:06
S8	2	"6678798".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:07

S9	2	"6816947".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:09
S10	2	"6718442".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:09
S11	2	"6795900".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:10
S12	2	"6839820".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:10
S13	4	@ad<"20000720" and ((all or every adj5 buffer\$3) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:17
S14	4	@ad<"20000720" and (((all or every) adj5 buffer\$3) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:21
S15	53	@ad<"20000720" and (((all or every) adj5 (buffer\$3 or memor\$3 or stor\$4)) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:32
S16	0	@ad<"20000720" and ((all adj10 (buffer\$3 or memor\$3 or stor\$4)) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:32
S17	16206	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:33
S18	42	@ad<"20000720" and (every adj10 (buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:34
S19	9	@ad<"20000720" and (every adj10 (buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and slot	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:35
S20	4	@ad<"20000720" and (every adj10 (buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slot same availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:39
S21	978	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slots same availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:39
S22	902	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slots same availab\$4) and signal	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:39
S23	6	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slots same availab\$4) and credit adj5 signal	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:42

S24	6864	@ad<"20000720" and ((buffers or memories or storages or slots) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:43
S25	18	@ad<"20000720" and ((buffers or memories or storages or slots) adj10 availab\$4) and credit adj5 signal	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route and credit	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
L2	22	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
L3	32	(buffer same (receiver or client)) and ((increase or decrease) same counter) and acknowledge and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:04
S1	5	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route and credit	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
S2	22	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
S3	29	(buffer same (receiver or client)) and ((increase or decrease) same counter) and acknowledge and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03

concurrent transfer.
tdcen.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6775742".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:06
L2	2	"6678798".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:07
L3	2	"6816947".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:09
L4	2	"6718442".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:09
L5	2	"6795900".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:10
L6	2	"6839820".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:10
L7	4	@ad<"20000720" and ((all or every adj5 buffer\$3) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:17
L8	4	@ad<"20000720" and (((all or every) adj5 buffer\$3) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:21
L9	53	@ad<"20000720" and (((all or every) adj5 (buffer\$3 or memor\$3 or stor\$4)) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:32
L10	0	@ad<"20000720" and ((all adj10 (buffer\$3 or memor\$3 or stor\$4)) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:32
L11	16206	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:33
L12	42	@ad<"20000720" and (every adj10 (buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:34
L13	9	@ad<"20000720" and (every adj10 (buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and slot	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:35
L14	4	@ad<"20000720" and (every adj10 (buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slot same availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:39
L15	978	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slots same availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:39

L16	902	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slots same availab\$4) and signal	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:39
L17	6	@ad<"20000720" and ((buffer\$3 or memor\$3 or stor\$4) adj10 availab\$4) and count and (slots same availab\$4) and credit adj5 signal	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:42
L18	6864	@ad<"20000720" and ((buffers or memories or storages or slots) adj10 availab\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:43
L19	18	@ad<"20000720" and ((buffers or memories or storages or slots) adj10 availab\$4) and credit adj5 signal	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:43
S1	5	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route and credit	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
S2	22	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:05
S3	29	(buffer same (receiver or client)) and ((increase or decrease) same counter) and acknowledge and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
S4	5	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route and credit	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:03
S5	22	@ad<"20000720" and (buffer\$3 near10 (recei\$7 or client)) and ((increase or decrease) near10 counter\$3) and acknow\$6 and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/12 07:16
S6	32	(buffer same (receiver or client)) and ((increase or decrease) same counter) and acknowledge and route	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 11:04